International Journal of Fracture

CONTENTS OF VOLUME 56 (1992)

Vol. 56, No. 1, 1 July 1992

A three-dimensional numerical investigation of fracture initiation by ductile failure mechanisms in a 4340 steel	R. NARASIMHAN, A.J. ROSAKIS and B. MORAN	1
Evaluation of the elastic *T*-stress in surface-cracked plates using the line-spring method	Y.-Y. WANG and D.M. PARKS	25
On the dominance of the singular dynamic crack tip stress field under high rate loading	C. TAUDOU, S.V. POTTI and K. RAVI-CHANDAR	41
The effect of applied displacement rate on the observation of crack instability	F. EBRAHIMI	61
Invariability of singular stress fields in adhesive bonded joints	V. WEISSBERG and M. ARCAN	75
Investigation of shear stress distribution in notch problem under sliding mode case	S.W. ZHANG, Y.Z. CHEN and W.Z. LIN	85

Vol. 56, No. 2, 15 July 1992

A finite element alternating approach for the bending analysis of thin cracked plates	W.-H. CHEN, K.-C. YANG and C.-S. CHANG	93
Computation of shear mode weight functions for circular and elliptical cracks	Y. ZHOU and T.-L. SHAM	111
Weight function method for interface cracks in anisotropic bimaterials	H. GAO	139
Fracture parameter for thermoinelasticity	D.A. WAGNER and J.C. SIMO	159

Vol. 56, No. 3, 1 August 1992

Elastic–plastic analysis of a stationary crack under cyclic loading and effect of overload	F. ELLYIN and J. WU	189
A finite element analysis of dynamic fracture initiation by ductile failure mechanisms in a 4340 steel	M. JHA and R. NARASIMHAN	209

Weight functions and stress intensity factors for the single crack round-ended straight lug	G.S. WANG	233
Effect of weld metal mis-match on toughness requirements: Some simple analytical considerations using the Engineering Treatment Model (ETM)	K.-H. SCHWALBE	257

Vol. 56, No. 4, 15 August 1992

Problem of two coplanar Griffith cracks running steadily under three-dimensional loading	A.N. DAS and M.L. GHOSH	279
Fatigue crack propagation between holes and particles	J.U. CHO, O.S. LEE and S.C. KIM	299
The effects of rate sensitivity and plastic potential surface curvature on plastic flow localization in porous solids	H.-Y. JEONG and J. PAN	317
Sub-region mixed finite element analysis of *V*-notched plates	FAN ZHONG and LONG YUQIU	333
On mode I and mode II energy release rates of an interface crack	M. TOYA	345
Failure modes of closed-cell polyurethane foams	P.S. THEOCARIS	353

AUTHOR INDEX, VOL. 56 (1992)

Arcan, M., 75
Chang, C.-.S., 93
Chen, W.-H., 93
Chen, Y.Z., 85
Cho, J.U., 299
Das, A.N., 279
Ebrahimi, F., 61
Ellyin, F., 189
Fan Zhong, 333
Gao, H., 139
Ghosh, M.L., 279
Jeong, H.-Y., 317
Jha, M., 209
Kim, S.C., 299
Lee, O.S., 299
Lin, W.Z., 85
Long Yuqiu, 333
Moran, B., 1
Narasimhan, R., 1, 209
Pan, J., 317
Parks, D.M., 25
Potti, S.V., 41
Ravi-Chandar, K., 41
Rosakis, A.J., 1
Schwalbe, K.-H., 257
Sham, T.-L., 111
Simo, J.C., 159
Taudou, C., 41
Theocaris, P.S., 353
Toya, M., 345
Wagner, D.A., 159
Wang, G.S., 233
Wang, Y.-Y., 25
Weissberg, V., 75
Wu, J., 189
Yang, K.-C., 93
Zhang, S.W., 85
Zhou, Y., 111